

Product Range

2021/1



This is Onspot!


The Onspot system is basically a simple and very reliable concept. It is a wheel fitted with several chains that is lowered and held towards the driving wheels. When the chain wheel rotates the chains are placed under the driving wheels to increase traction.

Onspot is engaged only when needed – up to 50km/h (35mph) without having to stop the vehicle. It works whether you are accelerating, braking or in a loss of traction situation. When engaged traction is obtained in forward or reverse.

Onspot is conveniently engaged and disengaged by pressing a button on the dashboard. It is a trouble-free and ever-present solution for avoiding delays due to slippery road conditions.



Operation



Resting position

Working position

A complete Onspot consists of:

Onspot kit

The Onspot kit contains of two cylinders and one Valve kit. The correct kit for your vehicle is included in the Onspot kit, ready to plug in.



Cylinder kit



Valve kit

Vehicle bracket kit

The bracket has a high-quality corrosion resistance through electrolytic pre-treatment. Depending on your vehicle there are differences. The Onspot kit will be supplied with the correct brackets and arms for your specific vehicle.



Vehicle bracket kit



Switch kit

Switch kit

A complete switch kit that correspond to the design of the other switches in your vehicle.

Wheel kit

A chain wheel kit is included in the Onspot kit. There are different spare wheels available which differ by number of chain strands or steel quality.



6 chains

6 chains
sparkle resis-
tant

12 chains

18 chains

Specification

Operating speed	2–50 km/h
Activation speed	Max 50 km/h
Power supply	12V/24V, 8 A fuse
Pressure requirement	7–10 bar
Weight Onspot 016	10,2 kg/side excl. vehicle bracket
Chains	6, 12 or 18 chains and 6 chains sparkle resistant

Choose your Onspot

At the homepage you will always find the newest models and configurations.

The screenshot shows the Onspot configurator interface. At the top, there is a navigation bar with the Onspot logo and links for 'WHY ONSPOT', 'KNOWLEDGE', 'THE PRODUCT', 'CONFIGURATOR', 'ABOUT US', 'BLOG', 'FIND US', 'EN - International', and 'CONTACT US'. The main heading is 'Choose your Onspot'. Below this is a table of specifications:

Vehicle brand	DENNIS EAGLE	CHANGE
Vehicle model	Elite 2	CHANGE
Axle configuration	6x2	CHANGE
Rear axle suspension	Air suspension	CHANGE
Wheel configuration	Double Wheel	CHANGE
Tyre dimension	12/80 R22,5	CHANGE

Below the table is a 'RESET ALL SELECTIONS' button. Under the heading 'Wheel kit', there are two options: '12-chains 56-236506' (selected) and '18-chains 56-236509'. To the right, there is a list of components: 'Bracket kit: 56-253800', 'Onspot kit: 56-700500', and 'Switch kit: 56-241012'. Below this is a section for 'Installation Instructions' with a note that item numbers for vehicle bracket spare parts can be found at the end of the installation instructions. There is a download icon and the text 'Installation Instructions 56-253800'. At the bottom right, there are two buttons: 'Send to Onspot' and 'Send to myself'.

Please, visit www.onspot.com and choose [Configurator](#).

From here you can e-mail the configuration to yourself or to Onspot for further requests

The Onspot ADR Valve Box

The electrical parts of an Onspot system have gotten an ADR Freigabe. It is issued by the German TÜV authorities.

This document makes it possible to register vehicles, with Onspot, according to the ADR regulation.

The VdTÜV certificate certifies that Onspot ADR valve box meets the requirements for installation outside zones 0 and 1 on vehicles of type EX/II, EX/III, AT, FL and OX.

Since before it is also certified according the UNECE R10 regulations.

The ADR Freigabe you can download on the homepage of Onspot.

When choosing an ADR vehicle, 56-700500 shall be replaced by cylinder kit 56-700501 and valve box 56-320104.



Onspot fits the following vehicles:

DAF	5	MERCEDES-BENZ	27	UD TRUCKS	42
CF Euro 6	6	Actros New	27	Quon	42
LF Euro 6	6	Actros	27	VAN HOOL	43
XF Euro 6	6	Antos	28	Altano	43
CF55	7	Arocs	28	VDL	44
65CF	7	Atego New	28	Futura	44
CF65	7	Atego	28	VOLVO	45
75CF	7	Atego 2, Atego 3	28	FL	46
CF75	7	Axor II	28	FL6	46
85CF	7	Axor 4x2, 6x2	28	FE	46
CF85	8	Atego S	28	FH, FM	46
LF45	8	Econic Bluetec 6	29	FH, FM, FMX	46
95XF	8	Econic	29	Buses	47
XF95, XF105	8	Sprinter	29	VW	49
DENNIS EAGLE	9	Unimog	29	Crafter	49
Elite 2	9	MITSUBISHI FUSO	30	Table of tyre dimensions	50
FORD	10	Super Great	30	Onspot	51
Transit	10	NEOPLAN	31	Onspot 016	51
HINO	11	Euroliner	31	Onspot 012	52
Profia	11	NISSAN	32	Arms	53
Ranger	11	Atleon	32	Electrical and air	55
S'elega	11	BIG Thumb	32	Switches	56
ISUZU	12	NV 400	32	Wheels	57
Forward	12	OPEL	33	Cylinders	58
Giga	12	Movano	33	Cylinder brackets	59
Giga (Rigid)	12	RENAULT	34	Arms	60
Gigamax	12	Range -C	34	Arms with bearing cups	60
IVECO	13	Range -K	34	Electrical and air kit	61
Crossway	13	Range -D	34	Compressor	62
Daily	13	Range -T	34	air compressor kit 12V	62
Eurocargo	14	Mascott DXI 160	34	Accessories	63
Eurostar	14	Master	34		
Eurotech	14	Midlum DXI	35		
Stralis	15	Midlum	35		
Trakker	15	Premium, Magnum DXI	35		
MAFI	16	Premium DXI	35		
MAN	17	Premium, Magnum	35		
Buses	17	Kerax DXI	35		
E2000	17	Master	35		
F2000	18	ROSETO	36		
L2000	18	Iveco chassis	36		
M2000L	18	SCANIA	37		
M2000M	18	P, G, R, T, L, S-series	37		
TGA	19	4-series	39		
TGE	20	Buses	39		
TGL	20	SETRA	40		
TGM	21	TERBERG	41		
TGM Euro 6	22				
TGS	22				
TGX	24				

Note! Older models, not included in this list can also be equipped with Onspot.

How to read the vehicle specification:

45LF _____ Vehicle model

4x2 _____ Axle configuration

45 130, 45 150, 45 160, 45 180, 45 180 – Vehicle type

Leaf suspension _____ Rear axle suspension

Key to the list for DAF

In the list there are two basic types: 4x2 and 6x2.

Other types same as 4x2 are: FA, FT, FAG, FTG, FAB, FAV.

Same as 6x2 are:

FAS, FAR, FAC, FTR, FTS.

Wheel kit 170


6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509


Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508


When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Rigid chassis

 = Driving axle



Tractor chassis



CF Euro 6**FA****Leaf suspension
8-12 ton**

Vehicle bracket kit:	56-236700
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75 R17.5" or larger.
Applies up to and including year model 2016

FA**Leaf suspension
8-12 ton**

Vehicle bracket kit:	56-236700
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75 R17.5" or larger.
From year model 2017.

FA**Air suspension
8-12 ton**

Vehicle bracket kit:	56-236700
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75 R17.5" or larger.
Applies up to and including year model 2016

FA**Air suspension
8-12 ton**

Vehicle bracket kit:	56-236700
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75 R17.5" or larger.
From year model 2017.

FA, FT

Vehicle bracket kit:	56-261500
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 22.5" or larger.

- *FA: 4x2 rigid*
- *FT: 4x2 tractor*

Applies up to and including year model 2016.

FA, FT

Vehicle bracket kit:	56-261500
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 22.5" or larger.

- *FA: 4x2 rigid*
- *FT: 4x2 tractor*

From year model 2017.

FAT, FTT

Vehicle bracket kit:	56-261500
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 22.5" or larger.

Applies up to and including year model 2016.

FAT, FTT

Vehicle bracket kit:	56-261500
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 22.5" or larger.

From year model 2017.

FAN, FAQ, FTS

Vehicle bracket kit:	56-260000
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/70 22.5" or larger.

FAN: 6x2 steered trailing axle

FAQ: 8x2 tridem, second rear axle driven

- *FTS: 6x2 fixed trailing axle*

LF Euro 6**FA****Air suspension
14-16 ton**

Vehicle bracket kit:	56-704800
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 285/70 R19.5" or larger.

FA**Leaf suspension
8-12 ton**

Vehicle bracket kit:	56-236700
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75 R17.5" or larger.

FA**Air suspension
8-12 ton**

Vehicle bracket kit:	56-236700
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75 R17.5" or larger.

XF Euro 6**FA**

Vehicle bracket kit:	56-261500
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 22.5" or larger.

- *FA: 4x2 rigid*

Applies up to year model 2016.

FA

Vehicle bracket kit:	56-261500
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 22.5" or larger.

- *FA: 4x2 rigid*

From year model 2017.

FAN, FAQ, FTS

Vehicle bracket kit:	56-260000
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/70 22.5" or larger.

FAN: 6x2 steered trailing axle

FAQ: 8x2 tridem, second rear axle driven

- *FTS: 6x2 fixed trailing axle*

Applies up to year model 2016.

FAN, FAQ, FTS

Vehicle bracket kit:	56-260000
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/70 22.5" or larger.

FAN: 6x2 steered trailing axle

FAQ: 8x2 tridem, second rear axle driven

- *FTS: 6x2 fixed trailing axle*

From year model 2017.

FTT

Vehicle bracket kit: 56-261500
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 Applies up to year model 2016.

FTT

Vehicle bracket kit: 56-261500
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 From year model 2017.

FT

Vehicle bracket kit: 56-734800
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 Applies up to year model 2016.

FT

Vehicle bracket kit: 56-734800
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.
 • FT: 4x2 tractor
 From year model 2017.

CF55**4x2**

**55.150, 55.160, 55.180, 55.210,
 55.230**

Air suspension**4 bellows, 18 tonnes and heavier**

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

4x2

**55.150, 55.160, 55.180, 55.210,
 55.230**

Leaf suspension

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 215/75 17.5" or larger.

65CF**4x2**

65.180, 65.210, 65.240

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2

65.180, 65.210, 65.240

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 22.5" or larger.

CF65**4x2**

65.180, 65.210, 65.240

Air suspension**Disc brakes**

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2

65.180, 65.210, 65.240

Air suspension**Disc brakes**

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

75CF**4x2**

75.250, 75.290, 75.320

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2

75.250, 75.290, 75.320

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 22.5" or larger.

CF75**4x2**

75.250, 75.290, 75.320

Air suspension**Disc brakes**

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2

75.250, 75.290, 75.320

Air suspension**Disc brakes**

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

85CF**4x2**

85.340, 85.380, 85.430

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2**85.340, 85.380, 85.430****Leaf suspension**

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 295/80 22.5" or larger.

CF85**4x2****85.340, 85.380, 85.430****Air suspension****Disc brakes**

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2**85.340, 85.380, 85.430****Air suspension****Disc brakes**

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 22.5" or larger.

LF45**4x2****45 130, 45 150, 45 160, 45 180, 45 210****Leaf suspension**

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension
 215/75 17.5" or larger.

Air suspension

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension
 215/75 17.5" or larger.

95XF**4x2****Air suspension**

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 22.5" or larger.

XF95, XF105**4x2****95.380, 95.430, 95.480, 95.530****Air suspension****Disc brakes**

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2**95.380, 95.430, 95.480, 95.530,****Air suspension****Disc brakes**

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 22.5" or larger.

- *It may be necessary to move the air tank when installing on an XF105 trailer truck, 56-246700.*

How to read the vehicle specification:

Elite 2 _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Elite 2

4x2, 6x2

Air suspension

Vehicle bracket kit: 56-253800
 Switch kit: 56-241012
 Onspot kit: 56-700500
 Wheel kit : 170

Fits vehicles with tyre dimension 315/70 R22.5" or larger.

- *12 or 18-chain wheels should be used.*
- *Twin wheel*

How to read the vehicle specification:

Transit _____ Vehicle model
Leaf suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Transit

Leaf suspension

Vehicle bracket kit:	56-703200
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 185/75 R 16 or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*
- *A re-arrangement of the exhaust pipe can be necessary.*

How to read the vehicle specification:

Profia _____ Vehicle model
4x2 _____ Axle configuration
Leaf suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Profia

Tractor

4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit:	56-238400
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 275/70-22,5" or larger.

- *Cannot be fitted on 6x2 with running axle behind the drive axle.*
- *12-chain wheels should be used.*
- *From year model 2004.*

Rigid

Air suspension, 4 bellows

Vehicle bracket kit:	56-718500
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 275/70-22,5" or larger.

Rigid

Leaf suspension, 4 bellows

Vehicle bracket kit:	56-728500
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 275/70-22,5" or larger.

Ranger

Rigid 4x2

Leaf suspension

Vehicle bracket kit:	56-737900
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 265/70R19,5

S'elega

4x2

Air suspension

Vehicle bracket kit:	56-723001
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 11R 22,5" or larger.

How to read the vehicle specification:

Gigamax _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190

6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Forward

Rigid 4x2

Air suspension

Vehicle bracket kit: 56-739100
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 265/70R19,5

Giga

4x2,

Air suspension

Vehicle bracket kit: 56-255500
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 11R 22,5" or larger.

Giga (Rigid)

6x2,

Leaf suspension

Vehicle bracket kit: 56-735500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 11R 22,5" or larger.

Gigamax

4x2, 6x2, 6x4

Air suspension, 4 bellows

Applies from year model 2003

Vehicle bracket kit: 56-238605
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 275/70-22,5" or larger.

How to read the vehicle specification:

Eurocargo 4x2,

4x4 _____ Vehicle model,
Axle configuration

60 E 10-14

65 E 10-14 _____ Vehicle type

75 E 12-15

80 E 15-21

Leaf suspension _____ Rear axle suspension

450617 _____ Rear axle type

M 22x1,5 _____ Clamp thread

Key to the list for IVECO

P Air suspension

T Tractor

W All wheel drive

MT Middle Class

MP Heavy Class

LD Eurostar

S Stralis

* Alternatively part no air kit 56-196002.

Wheel kit 170

6-chains 56-236503

6-chains sparkle resistant 56-236507

12-chains 56-236506

18-chains 56-236509

Wheel kit 190

6-chains 56-236501

6-chains sparkle resistant 56-236504

12-chains 56-236505

18-chains 56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Crossway

4x2, 6x2

Air suspension

Vehicle bracket kit: 56-265700

Switch kit 56-241012

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension

275/70 R22,5" or larger.

Daily

29 L, 35 S

Leaf suspension

M16x1,5

Vehicle bracket kit: 56-247200

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension

215/60 R16" or larger.

• *Single wheel*

• *12 or 18-chain wheels should be used.*

• *From year model 2007.*

29 L, 35 S

Leaf suspension

M14x1,5

Vehicle bracket kit: 56-264300

Switch kit 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension

225/70 R15" or larger.

• *Single wheel*

• *12 or 18-chain wheels should be used.*

• *From year model 2007.*

65C

Leaf suspension

Vehicle bracket kit: 56-254000

Switch kit 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension

225/75 R16" or larger.

• *Twin wheel*

• *12 or 18-chain wheels should be used.*

• *From year model 2007.*

65C

Air suspension

Vehicle bracket kit: 56-259800

Switch kit 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension

225/75 R16" or larger.

• *Twin wheel*

• *12 or 18-chain wheels should be used.*

• *From year model 2007.*

70C

Air suspension

Vehicle bracket kit: 56-259800

Switch kit 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension

225/75 R16" or larger.

• *Twin wheel*

• *12 or 18-chain wheels should be used.*

• *From year model 2007.*

Leaf suspension

Vehicle bracket kit:	56-254000
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

Eurocargo**4x2****60 E xx, 65 E xx, 75 E xx, 80 E xx, 80 EL xx, 90 E xx, 100 E xx, 120 E xx****Air suspension, 2 bellows**

Vehicle bracket kit:	56-253200
Switch kit	56-241002
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75- 17,5" or larger.

- *12 or 18-chain wheels should be used.*
- *Applies up to and including year model year 2007*

75 E xx, 80 E xx, 90 E xx, 100 E xx**Air suspension, 2 bellows**

Vehicle bracket kit:	56-253200
Switch kit	56-241018
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75- 17,5" or larger.

- *12 or 18-chain wheels should be used.*
- *From model year 2008*

120 E xx**Air suspension, 2 bellows****11/41 23N07, M22x1,5****Disc brakes**

Vehicle bracket kit:	56-240800
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 265/70- 19,5" till 315/70- 22,5".

Wheel kit:	190
Fits vehicles with tyre dimension 10-22,5" or larger.	

150 E xx**Leaf suspension****R 167****M22x1.5****Drum brakes**

Vehicle bracket kit:	56-237200
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/70- 22,5" or larger.

150 E xx, 130 E xx**Leaf suspension****R 167****M22x1.5****Disc brakes**

Vehicle bracket kit:	56-239400
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60- R22,5" or larger.

150 E xx, 130 E xx**Leaf suspension****R 167****M22x1.5****Disc brakes**

Vehicle bracket kit:	56-240800
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 275/70- 19,5" to 305/70- R19,5"

Eurocargo 4x4**140 E xx W****Leaf suspension****Single wheel****42117806****M 22x1,5**

Vehicle bracket kit:	56-238100
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/80- R22,5" or larger.

140 E xx W**Leaf suspension****451146/1****M 22x1,5**

Vehicle bracket kit:	56-236900
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/70 R 22,5" or larger.

Eurostar**4x2, 4x4****LD 190 E xx, LD 440 E xx****Air suspension****U1177E**

Vehicle bracket kit:	56-228701
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60- 22 ,5" or larger.

Eurostar 6x2**LD 260 E xx, LD 440 E xx****Air suspension****U1177E**

Vehicle bracket kit:	56-228701
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60- 22,5" or larger.

Eurotech**4x2****MT 180 Exx, MT 400 Exx****Air suspension**

Vehicle bracket kit:	56-228701
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60- 22,5" or larger.

MP, MH 190 E xx**MP, MH 440 E xx****Air suspension****U1177E**

Vehicle bracket kit:	56-228701
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60- 22 ,5" or larger.

Eurotech 6x2

MP, MH 260 E xx

MP 440 E xx

**Air suspension
U1177E**

Vehicle bracket kit: 56-228701

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger.

Stralis

4x2, 4x4

AS 190 S xx, AS 440 S xx

**Air suspension
U1177E**

Vehicle bracket kit: 56-228701

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger.

Stralis 6x2

AS 260 S xx, AS 440 S xx

**Air suspension
U1177E**

Vehicle bracket kit: 56-228701

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22 ,5" or larger

Stralis Euro 6

4x2, 4x4, 6x2

Air suspension

Vehicle bracket kit: 56-715300

Switch kit: 56-241018

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22,5" or larger.

Trakker

4x4

MP 190 E xx

Air suspension

Vehicle bracket kit: 56-228701

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
315/60- 22,5" or larger.

How to read the vehicle specification:

MAFI	_____	Vehicle model
R332, R336'	_____	Vehicle type
Air suspension	_____	Rear axle suspension
Kessler D81 PL478	_____	Rear axle type

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

MAFI

R332, R336

Air suspension

Kessler D81, PL478

Vehicle bracket kit:	56-709400
Onspot kit:	56-700500
Switch kit:	56-241023
Wheel kit:	170
Fits vehicles with tyre dimension 12 R 22,5" or larger.	

How to read the vehicle specification:

L2000 _____	Vehicle model
L20, L24 _____	Vehicle type The type no. is position 4-6 in the chassis no.
4x2 _____	Axle configuration
Leaf suspension _____	Rear axle suspension
8.xxx L, 9.xxx L, 10.xxx L _____	Vehicle designation
HY-0645, HY-0720, HY-0745 _____	Rear axle
Clamp Ø 18x2 _____	Clamp thread

Key to the list for MAN

A	All wheel drive (4x4, 6x6)
DF/FD	Three axles (6x4)
E	Rear single wheels
F	Front built (4x2)
K	Kipper
L	Air suspension rear
LL	Compl. Air suspension
N	Support axle behind driv. axle (6x2)
S	Tractor
V	Steering axle in front of driving axle (6x2/4)
FFD/VF	Four axles (8x4)

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Buses

Intercity bus R60, R61, R62

Vehicle bracket kit:	56-737000
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/80-R 22,5" or larger.	

E2000

E42

6x2/4

Air suspension 26.xxx FVLC AP H9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E50, E60

6x6/4, 6x2/4

Air suspension 30.xxx FANLC, 33.xxx DFALC, AP H9-13120, AP HD9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E51, E61

4x2

Air suspension 19.xxx FLS/M AP H9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E52, E62

4x4

Air suspension 19.xxx FALS AP H9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E53, E63

6x2-4, 6x4-4

Air suspension 26.xxx FNLC AP H9-13120, HY-13110

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E55, E65

8x4/4, 8x2/4

Air suspension

32.xxx FVNLC

AP H9-13120, AP HD9-13120,

AP H-1175, AP HDY-1175,

AP H9-1380, HY-1175

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E56, E66, E47, E67

6x4/4, 6x6-4, 6x4-4

Air suspension

26.xxx FAVLC, 28.xxx FNALC,

28.xxx FANLC,

AP H9-13120, HY-13110

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E59, E69

6x4/2, 6x2/2

Air suspension

33.xxx DFLS, 30.xxx FNLC,

AP H9-13120, AP HD9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E73

8x2/4

Air suspension

35.xxx FVNLC

AP H9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E75, E95

8x4/4

Air suspension

41.xxx DFVLS

AP H9-13120, AP HD9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

F2000

T02, T32, T03, T33, T62

4x2

Air suspension

19.xxx FL, 19.xxx FLL, 19.xxx FLS

HY-13110, APH9-13120, APH9-16120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60 R 22,5" or larger.	

T05, T35, T06, T36, T07, T37

6x2

Air suspension

23.xxx FNLL, 26.xxx FNL

HY-13110, APH9-13120, APH9-16120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60 R 22,5" or larger.	

T08, T38

6x2/4

Air suspension

26.xxx FVL

HY-13110, APH9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60 R 22,5" or larger.	

T10, T40, T70

6x2/4

Air suspension

26.xxx DFL

HY-13110, APH9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60 R 22,5" or larger.	

L2000

L34, L36

4x2, 6-cyl motor

Air suspension

8.xxx LL, 9.xxx LL, 10.xxx LL,

HY-0855

Stabilizer in front of the rear axle.

Vehicle bracket kit:	56-234601
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 205/75-R 17,5" or larger.	

M2000L

L88, L89

4x2

Air suspension

18.xxx LL, 18.xxx LLL

HY-1175

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60 22,5" or larger.	

M2000M

M39, M40

4x2

Air suspension

18.xxx ML, 18.xxx MLL

HY-1175

Vehicle bracket kit:	56- 226301
Switch kit:	56-241013
Onspot kit:	56- 320000
Wheel kit:	190
Fits vehicles with tyre dimension 295/60 R 22,5" or larger.	

M42, M43, M44

6x2

Air suspension

25.xxx MNL, 25.xxx MNLL,

25.xxx MVL

HY-1175

Vehicle bracket kit:	56- 226301
Switch kit:	56-241013
Onspot kit:	56- 320000
Wheel kit:	190
Fits vehicles with tyre dimension 295/60 R 22,5" or larger.	

TGA

H01, H08**4x2/2****Air suspension**
18.xxx FLS-TS
HY-1350

Vehicle bracket kit: 56-233903
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 10-
 22,5" or larger

H02, H03**4x2/2****Leaf suspension**
18.xxx F
AP H9 1352, HY-1350

Vehicle bracket kit: 56-238300
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R 22,5" or larger.

H05, H06**4x2/2****Air suspension**
18.xxx FL
HY-1350

Vehicle bracket kit: 56-233903
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 10-
 22,5" or larger

H09, H10**4x2/2****Air suspension**
18.xxx FLL
HY-1350

Vehicle bracket kit: 56-233903
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
 Switch kit: 56-241003
 Onspot kit: 56- 320000
 Wheel kit: 190
 Fits vehicles with tyre dimension 10-
 22,5" or larger

H16**6x2/2, 6x2/4****Air suspension. Note! Low-built**
vehicles with distance between air
suspension beam and driveshaft
don't fit!
26.xxx BLL
HY-1350

Vehicle bracket kit: 56-233903
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 10-
 22,5" or larger

H17, H18**6x2/2, 6x2/4****Air suspension**
26.xxx FNL
HY-1350

Vehicle bracket kit: 56-233903
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 10-
 22,5" or larger

H19, H20, H21**6x2/2, 6x2-4****Air suspension**
26.xxx FNLL
HY-1350

Vehicle bracket kit: 56-233903
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 315/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 10-
 22,5" or larger

H23, H24**6x2/4****Air suspension**
26.xxx FVL, 26.xxx FPL
HY-1350, APH9-13120

Vehicle bracket kit: 56-233903
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 315/70 R 22,5

Vehicle bracket kit: 56-230702
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 10-
 22,5" or larger

H25, H26**6x4x/2****Leaf suspension**
26.xxx FD, 33.xxx FD
HYD 1370, HPD 1382
APH9-13120, HPD 1353

Vehicle bracket kit: 56-239300
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 R 22,5" or larger.

H29, H30**6x4x/2****Air suspension**
26.xxx FDL, 33.xxx FDL
HYD 1370, APH9-13120
HPD 1353, HPD 1382

Vehicle bracket kit: 56-239000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R 22,5" or larger.

H36, H37, H38, H39**8x4x/4****Leaf suspension**
32.xxx FFD, 35.xxx FFD, 41.xxxFFD
HYD 1370, APH9-13120
APH9-16120, HPD 1382

Vehicle bracket kit: 56-239300
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 R 22,5" or larger.

H40, H41**8x4x/4****Leaf suspension**
32.xxx FFDL, 35.xxx FFDL
HYD 1370, HPD 1382

Vehicle bracket kit: 56-239000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R 22,5" or larger.

H48, H49

8x4x/4

Leaf suspension

32.xxx FFD

HYD 1370, HPD 1353, APH9-13120

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H51, H52

4x4/2

Leaf suspension

18.xxx FA

APH9 1352, HY 1350

Vehicle bracket kit: 56-238300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

H55, H56

6x6/2

Leaf suspension

26.xxx FDA

HPD 1382, HD9 13120

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H70

4x4

Air suspension

18.xxx FAL

HP 1352

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

H72, H82

6x6/2

Air suspension

26.xxx FDAL, 33.xxx FDAL

HPD 1382

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H73, H92

8x6/4

Leaf suspension

35.xxx FFDA

HPD 1382, HPD 1372 E

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H76, H96

8x8/4

Leaf suspension

35.xxx FFDA

HPD 1382, HPD 1372 E

Vehicle bracket kit: 56-239300

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H85, H86, H87, H89

6x2/2

Air suspension

28.xxx FNL, 28.xxx FNLL

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70-R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension to
10-22,5" or larger.

H88, H90

8x2/4

Air suspension

32.xxx FFNL,

HY-1350

Vehicle bracket kit: 56-233903

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70-R 22,5"

Vehicle bracket kit: 56-230702

Switch kit: 56-241003

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension 10-
22,5" or larger.

H94, H95

8x4/4

Air suspension

41.xxx FVDLS

HPD 1382, HPD 1682

Vehicle bracket kit: 56-239000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

TGE

Leaf suspension

Twin wheel

Vehicle bracket kit: 56-719500

Switch kit: 56-241012

Air compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension
205/75 R16" or larger.

• 12 or 18-chain wheels should be
used.

Leaf suspension

Single wheel

Vehicle bracket kit: 56-717500

Switch kit: 56-241012

Air compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension
205/75 R16" or larger.

• 12 or 18-chain wheels should be
used.

TGL

N03

4x2

Leaf suspension

8.xxx BB

HY-0718

Clamp Ø 16x1.5

Vehicle bracket kit: 56-247400

Switch kit Euro 5: 56-241003

Switch kit Euro 6: 56-241015

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
225/75 R 17,5" or larger.

N04

4x2

Leaf suspension

10.xxx - 12.xxx

HY-0925

Clamp Ø 16x1.5

Vehicle bracket kit: 56-247400

Switch kit Euro 5: 56-241003

Switch kit Euro 6: 56-241015

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
225/75 R 17,5" or larger.

N12**4x2****Air suspension**

Vehicle bracket kit:	56-739400
Switch kit Euro 5:	56-241003
Switch kit Euro 6:	56-241015
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
265/70 R17, 5" or larger.

N13**4x2****Air suspension**

Vehicle bracket kit:	56-739400
Switch kit Euro 5:	56-241003
Switch kit Euro 6:	56-241015
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
265/70 R17, 5" or larger.

N14**4x2****Air suspension**

Vehicle bracket kit:	56-739400
Switch kit Euro 5:	56-241003
Switch kit Euro 6:	56-241015
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
265/70 R17, 5" or larger.

N15**4x2****Air suspension**

Vehicle bracket kit:	56-739400
Switch kit Euro 5:	56-241003
Switch kit Euro 6:	56-241015
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
265/70 R17, 5" or larger.

TGM**N08****4x2****Leaf suspension****18.xxx BB****HY-1133**

Vehicle bracket kit:	56-243900
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
305/70 -22,5" or larger.

N16**4x2****Air suspension****15.xxx BL**

Vehicle bracket kit:	56-259101
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
285/70 R 19,5" or larger.

- 12 or 18-chain wheels should be used.

N18**Air suspension, 4 bellows****18.xxx BL**

Vehicle bracket kit:	56-246100
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

N26**4x2****Air suspension****15.xxx BL**

Vehicle bracket kit:	56-259101
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
285/70 R 19,5" or larger.

- 12 or 18-chain wheels should be used.

N28**Air suspension, 4 bellows****18.xxx LL****HY-1133**

Vehicle bracket kit:	56-246100
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

N34**4x4****Air suspension, 4 bellows****13.xxx BL**

Vehicle bracket kit:	56-246100
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
275/70 R 22,5" or larger.

N36**4x4****Air suspension****13.xxx LL****APHP 0928**

Vehicle bracket kit:	56-247800
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
275/70 R 22,5" or larger.

- Twin wheel

N36**4x4****Air suspension****13.xxx BL****APHP 0728**

Vehicle bracket kit:	56-251300
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
365/80 -20" or larger.

- Singel wheel

N38**4x4****Leaf suspension****18.xxx****HY-1333**

Vehicle bracket kit:	56-248200
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

N44**Air suspension, 4 bellows****26.xxx BL**

Vehicle bracket kit:	56-246100
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

N46**Air suspension, 4 bellows****26.xxx LL**

Vehicle bracket kit:	56-246100
Switch kit:	56-241003
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

TGM Euro 6

N08

4x2

Leaf suspension

18.xxx BB
HY-1133

Vehicle bracket kit: 56-243901
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
305/70 -22,5" or larger.

N16

4x2

Air suspension

15.xxx BL

Vehicle bracket kit: 56-259102
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
285/70 R 19,5" or larger.
• 12 or 18-chain wheels should be used.

N18

Air suspension, 4 bellows

18.xxx BL

Vehicle bracket kit: 56-246100
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

N26

4x2

Air suspension

15.xxx BL

Vehicle bracket kit: 56-259102
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
285/70 R 19,5" or larger.
• 12 or 18-chain wheels should be used.

N28

Air suspension, 4 bellows

18.xxx LL
HY-1133

Vehicle bracket kit: 56-246100
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

N34

4x4

Air suspension, 4 bellows

13.xxx BL

Vehicle bracket kit: 56-246100
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
275/70 R 22,5" or larger.

N36

4x4

Air suspension

13.xxx LL
APHP 0928

Vehicle bracket kit: 56-247800
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
275/70 R 22,5" or larger.
• *Twin wheel*

N36

4x4

Air suspension

13.xxx BL
APHP 0728

Vehicle bracket kit: 56-251300
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
365/80 -20" or larger.
• *Singel wheel*

N38

4x4

Leaf suspension

18.xxx
HY-1333

Vehicle bracket kit: 56-248200
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

N44

Air suspension, 4 bellows

26.xxx BL

Vehicle bracket kit: 56-246100
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

N46

Air suspension, 4 bellows

26.xxx LL

Vehicle bracket kit: 56-246100
Switch kit: 56-241015
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

TGS

03S/03E/03F

4x2

Leaf suspension

18.xxx BB
AP HP 1352, HY-1350

Vehicle bracket kit: 56-238303
Switch kit 03S: 56-241015
Switch kit 03E/03F: 56-739000
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

06S/06E/06F/06J/06K

4x2

Air suspension, 4 bellows

18.xxx BL
HY-1350

Vehicle bracket kit: 56-233904
Switch kit 06S: 56-241015
Switch kit 06E/06F/06J/06K: 56-739000
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
Switch kit 06S: 56-241015
Switch kit 06E/06F/06J/06K: 56-739000
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
305/70-22,5" or larger.

08S/08K

4x2

Air suspension, 4 bellows

18.xxx BL-TS
HY-1350

Vehicle bracket kit: 56-233904
Switch kit 08S: 56-241015
Switch kit 08K: 56-739000
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 08S: 56-241015
 Switch kit 08K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

10S/10F/10K

4x2

Air suspension, 4 bellows
18.xxx LL
HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 10S: 56-241015
 Switch kit 10F/10K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 10S: 56-241015
 Switch kit 10F/10K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

13S/13K

4x2

Air suspension, 4 bellows
18.xxx LL
HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 13S: 56-241015
 Switch kit 13K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 13S: 56-241015
 Switch kit 13K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

18S/18F/19F

6x2/2, 6x2/4

Air suspension, 4 bellows
26.xxx BL, BL-WW
HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 18S: 56-241015
 Switch kit 18F/19F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 18S: 56-241015
 Switch kit 18F/19F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

21S/20F/21F

6x2/2, 6x2-4

Air suspension, 4 bellows
26.xxx LL
HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 21S: 56-241015
 Switch kit 20F/21F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 21S: 56-241015
 Switch kit 20F/21F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

22S/22E/22F/22K/22J

4x4H

Air suspension, 4 bellows
18.xxx BL
HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 22S: 56-241015
 Switch kit 22E/22F/22K/22J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" till 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 22S: 56-241015
 Switch kit 22E/22F/22K/22J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

24S/23K

6x2/2

Air suspension, 4 bellows
28.xxx
HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 24S: 56-241015
 Switch kit 23K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" till 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 24S: 56-241015
 Switch kit 23K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

24S/24F/24K

6x2/2, 6x2-4

Air suspension, 4 bellows
26.xxx BL
HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 24S: 56-241015
 Switch kit 24F/24K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 24S: 56-241015
 Switch kit 24F/24K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

30S/30E/30F/30K/30J

6x4

Air suspension, 4 bellows
26.xxx BLS
HYD 1370

Vehicle bracket kit: 56-233904
 Switch kit 30S: 56-241015
 Switch kit 30E/30F/30K/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 30S: 56-241015
 Switch kit 30E/30F/30K/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

Air suspension
HPD 1382

Vehicle bracket kit: 56-262800
 Switch kit 30S: 56-241015
 Switch kit 30E/30F/30K/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R22,5" or larger.

59S

8x6

Air suspension, 4 bellows 35.xxx BLS HPD-1382

Vehicle bracket kit:	56-262800
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/80 R 22,5".	

71S

6x4H-4

Air suspension, 4 bellows 28.xxx BL HY-1350

Vehicle bracket kit:	56-233904
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R22,5" to 12/70 R22,5".	

Vehicle bracket kit:	56-230702
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 R22,5" or larger.	

74S

6x2-4

Air suspension

Vehicle bracket kit:	56-233904
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R22,5" to 12/70 R22,5".	

Vehicle bracket kit:	56-230702
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 R22,5" or larger.	

80S/80J

4x4

Air suspension, 4 bellows 18.xxx HP-1352

Vehicle bracket kit:	56-262800
Switch kit 80S:	56-241015
Switch kit 84J:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 275/80xR22,5" or larger.	

84S/84E

6x4-4

Air suspension, 4 bellows 28.xxx HP-135204

Vehicle bracket kit:	56-262800
Switch kit 84S:	56-241015
Switch kit 84E:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 275/80xR22,5" or larger.	

89S/89K/89F

6x2-2

28.xxx BL, BLS HY-1350

Vehicle bracket kit:	56-233904
Switch kit 89S:	56-241015
Switch kit 89K/89F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R22,5" to 12/70 R22,5".	

Vehicle bracket kit:	56-230702
Switch kit 89S:	56-241015
Switch kit 89K/89F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 R22,5" or larger.	

90S/90F/91F/98F

8x2-4, 8x2-6

Air suspension

Vehicle bracket kit:	56-233904
Switch kit 90S:	56-241015
Switch kit 90F/91F/98F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R22,5" to 12/70 R22,5".	

Vehicle bracket kit:	56-230702
Switch kit 90S:	56-241015
Switch kit 90F/91F/98F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 R22,5" or larger.	

92S/92F

8x4-4

Air suspension

Vehicle bracket kit:	56-233904
Switch kit 92S:	56-241015
Switch kit 92F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R22,5" to 12/70 R22,5".	

Vehicle bracket kit:	56-230702
Switch kit 92S:	56-241015
Switch kit 92F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60 R22,5" or larger.	

TGX

05X/06K

4x2

Air suspension, 4 bellows 18.xxx BL, BLS HY-1350

Vehicle bracket kit:	56-233904
Switch kit 05X:	56-241015
Switch kit 06K:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R 22,5" to 12/70 R 22,5".	

Vehicle bracket kit:	56-230702
Switch kit 05X:	56-241015
Switch kit 06K:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70-22,5" or larger.	

06X/06F/06J

4x2/2

Air suspension, 4 bellows 18.xxx BL HY-1350

Vehicle bracket kit:	56-233904
Switch kit 06X:	56-241015
Switch kit 06F/06J:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R 22,5" to 12/70 R 22,5".	

Vehicle bracket kit:	56-230702
Switch kit 05X:	56-241015
Switch kit 06K:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70-22,5" or larger.	

10X/10K/10F

4x2

Air suspension, 4 bellows 18.xxx LL HY-1350

Vehicle bracket kit:	56-233904
Switch kit 10X:	56-241015
Switch kit 10K/10F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R 22,5" to 12/70 R 22,5".	

Vehicle bracket kit: 56-230702
 Switch kit 05X: 56-241015
 Switch kit 06K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

13X/13K

4x2

Air suspension, 4 bellows

18.xxx LL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 13X: 56-241015
 Switch kit 13K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 13X: 56-241015
 Switch kit 13K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

15X/13F

4x2

Air suspension, 4 bellows

18.xxx

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 15X: 56-241015
 Switch kit 13F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 15X: 56-241015
 Switch kit 13F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

18X/18F/19F

6x2/2, 6x2/4

Air suspension, 4 bellows

26.xxx BL, BL-WW

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 18X: 56-241015
 Switch kit 18F/19F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 18X: 56-241015
 Switch kit 18F/19F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

21X/20F/21F

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx LL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 21X: 56-241015
 Switch kit 20F/21F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 21X: 56-241015
 Switch kit 20F/21F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

22X/22K/22J

4x4H

Air suspension, 4 bellows

18.xxx BL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 22X: 56-241015
 Switch kit 22K/22J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-241015
 Onspot kit: 56-700501
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

24X/23K/24K

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx BL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 24X: 56-241015
 Switch kit 23K/24K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 24X: 56-241015
 Switch kit 23K/24K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

30X/30E/30F/30K/30J

6x4

Air suspension, 4 bellows

26.xxx BLS

HYD 1370

Vehicle bracket kit: 56-233904
 Switch kit 30X: 56-241015
 Switch kit 30E/30F/30K/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 30X: 56-241015
 Switch kit 30E/30F/30K/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

Air suspension

HPD 1382

Vehicle bracket kit: 56-262800
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R22,5" or larger.

78X

4x2

Air suspension, 4 bellows

18.xxx BL, BLS

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

89X/89F/89K

6x2-2

28.xxx BL, BLS

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 89X: 56-241015
 Switch kit 89F/89K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R22,5" to 12/70 R22,5".

Vehicle bracket kit: 56-230702
Switch kit 89X: 56-241015
Switch kit 89F/89K: 56-739000
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
305/70-22,5" or larger.

92X/92F

8x4-4

Air suspension

Vehicle bracket kit: 56-233904
Switch kit 92X: 56-241015
Switch kit 92F: 56-739000
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R22,5" to 12/70 R22,5".

Vehicle bracket kit: 56-230702
Switch kit 92X: 56-241015
Switch kit 92F: 56-739000
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60 R22,5" or larger.

How to read the vehicle specification:

Atego 4x2 ————— Vehicle model,
Axle configuration

712-823 ————— Vehicle type

Air suspension ————— Rear axle suspension

97x.00 to 97x.02 ————— Baumuster-number

HL2/43 DC 6,2 ————— Axle type

M16x1.5 ————— Clamp thread

Mercedes-Benz Code	Chains
KYSB - Onspot	18-chains
KYSC - Onspot	12-chains
KYSD - Onspot	6-chains

Key to the list for MERCEDES-BENZ

L	Air suspension
K	Kipper
S	Tractor

Wheel kit 170		MB part nr.
6-chains	56-236503	662 583 14 16
6-chains sparkle resistant	56-236507	
12-chains	56-236506	662 583 10 16
18-chains	56-236509	662 583 12 16

Wheel kit 190		MB part nr.
6-chains	56-236501	662 583 15 16
6-chains sparkle resistant	56-236504	
12-chains	56-236505	662 583 11 16
18-chains	56-236508	662 583 13 16

NOTE! Always check the Baumuster-number. This is the valid number and it determinates the chassi of the vehicle, i.e the designation Atego, Actros etc. is less important. The Baumuster-number is found on the vehicle's frame-beam, inside the right of the frontmost wheelhousings and is position 4-6.

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Actros New

4x2, 6x2, 6x4, 8x4

Air suspension

963

HL6, HL8

M24x2

MB part nr: A 663 583 10 16

Vehicle bracket kit: 56-255900

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension 295/60 - 22.5" or larger.

Actros

4x2, 4x4, 6x2, 6x4, 6x6

1831-1853, 2531-2553

Air suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension 315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 4x4, 6x2

Leaf suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit: 56-236800

Switch kit: 56-241016

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension 295/70 R22.5" or larger.

Actros MP2,MP3

4x2, 6x2, 6x2/4

1832L-1854L, 2532L-2554L

Air suspension

930

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension 315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 6x2, 6x2/4

1832L-1854L, 2532L-2554L

Air suspension

934

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Tank bracket kit: 56-238200

Fits vehicles with tyre dimension 315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 6x2, 6x2/4

1832-1854, 2032-2054

Leaf suspension

930, 932, 934

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-236800

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension 295/70 R22.5" or larger.

8x4/4, 6x4, 6x6

Leaf suspension

930, 932, 934

HL6, HL7, HL8

MB part nr: 662 583 30 16

Vehicle bracket kit: 56-255100

Onspot kit: 56-700503

Switch kit: 56-241004

Wheel kit: 190

Fits vehicles with tyre dimension
265/80 R22,5" or larger.

Antos

4x2, 6x2

Air suspension

963

A2E

M24x2

MB part nr: A 663 583 10 16

Vehicle bracket kit: 56-255900

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension
295/60 - 22.5" or larger.

Arocs

4x2, 6x2, 6x4, 8x4/4

Air suspension

964

HL6, HL8

M24x2

MB part nr: A 663 583 10 16

Vehicle bracket kit: 56-255900

Onspot kit: 56-700503

Switch kit: 56-241019

Wheel kit: 190

Fits vehicles with tyre dimension
295/60 -22.5" or larger.

8x4/4, 6x4, 6x6

Leaf suspension

964

HL6, HL7, HL8

M24x2

MB part nr: 662 583 30 16

Vehicle bracket kit: 56-255100

Onspot kit: 56-700503

Switch kit: 56-241019

Wheel kit: 190

Fits vehicles with tyre dimension
315/60 -22.5" or larger.

Atego New

4x2

1216-1530

Air suspension

967

A9/HL4

M24x2

Vehicle bracket kit: 56-714200

Switch kit: 56-241019

Onspot kit: 56-700503

Wheel kit: 170

Fits vehicles with tyre dimension
265/70 R19.5" or larger.

• Stabilizer under the cardan shaft.

4x2

Leaf suspension

967

HL4/40DC 10.8

M18x1,5

Vehicle bracket kit: 56-712600

Onspot kit: 56-700503

Switch kit: 56-241019

Wheel kit: 190

Fits vehicles with tyre dimension
335/80 R20" or larger.

• Single wheel

4x4, 4x2

Leaf suspension

967

A2L

M18x1,5

MB part nr: A 663 583 18 16

Vehicle bracket kit: 56-258700

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension
295/70 R22.5" or larger.

Atego

Atego 2

4x2

Air suspension

97x

HL4

M22x1.5

MB part nr: A 663 583 16 16

Vehicle bracket kit: 56-232601

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension
265/70 R19,5" or larger.

• Stabilizer under the cardan shaft.

Atego 2, Atego 3

4x2

1214-1529

Air suspension

970.25 to 970.28

A9/HL4

M24x2

MB part nr: A 663 583 17 16

Vehicle bracket kit: 56-714200

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 170

Fits vehicles with tyre dimension
265/70 19,5" or larger.

• Stabilizer under the cardan shaft.

Axor II

4x2, 6x2/4

Air suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension
315/60R22.5" or larger.

4x2

Leaf suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit: 56-236800

Switch kit: 56-241016

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension
295/80 R22.5" or larger.

Axor 4x2, 6x2

Atego S

1835-1843, 2535-2543

Air suspension

944

HL6 / HL7

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension
315/60 R22.5" or larger.

Econic Bluetec 6 4x2

Air suspension

956

HL6/HL8

M24x2

MB part nr: A 663 583 10 16

Vehicle bracket kit: 56-255900

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension
295/60 - 22.5" or larger.

Econic 4x2, 6x2

1823-2628

Air suspension

95x

HL7/HL8

M24x2

MB part nr: A 662 583 20 16

Vehicle bracket kit: 56-231502

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension
315/60 R22.5" or larger.

Sprinter

2xx

Leaf suspension

906xxx, 907xxx

Vehicle bracket kit: 56-264300

Switch kit: 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension
225/70 R15" or larger.

• *Single wheel*

• *12 or 18-chain wheels should be used.*

3xx

Air suspension: VB

906xxx, 907xxx

Vehicle bracket kit: 56-264300

Switch kit: 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension
225/70 R15" or larger.

• *Single wheel*

• *12 or 18-chain wheels should be used.*

3xx

Leaf suspension

906xxx, 907xxx

Vehicle bracket kit: 56-264300

Switch kit: 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension
225/70 R15" or larger.

• *Single wheel*

• *12 or 18-chain wheels should be used.*

4xx

4x2

Air suspension: VB

907xxx

Vehicle bracket kit: 56-739800

Switch kit: 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension
195/75 R16" or larger.

• *Single wheel*

• *12 or 18-chain wheels should be used.*

• *A re-arrangement of the exhaust pipe can be necessary.*

5xx

4x2

Air suspension: VB

906xxx

Vehicle bracket kit: 56-262200

Switch kit: 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension
195/75 R16" or larger.

• *Twin wheel*

• *12 or 18-chain wheels should be used.*

• *A re-arrangement of the exhaust pipe can be necessary.*

5xx

4x2

Leaf suspension

906xxx, 907xxx

Vehicle bracket kit: 56-262200

Switch kit: 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension
195/75 R16" or larger.

• *Twin wheel*

• *12 or 18-chain wheels should be used.*

• *A re-arrangement of the exhaust pipe can be necessary.*

5xx

4x4

Leaf suspension

906xxx

Vehicle bracket kit: 56-247000

Switch kit: 56-241012

Compressor kit: 56-255200

Onspot kit: 56-700502

Wheel kit: 170

Fits vehicles with tyre dimension
195/75 R16" or larger.

• *Twin wheel*

• *12 or 18-chain wheels should be used.*

• *A re-arrangement of the exhaust pipe can be necessary.*

• *Move spare wheel under floor behind the axle.*

Unimog

U 300, 405.100, 405.120

U 400, 405.102, 405.122

Onspot kit: 56-700500

Vehicle bracket kit: 56-237000

Wheel kit: 190

Fits vehicles with tyre dimension 12,5
R20 Ø 1040 or larger.

• *Onspot for Unimog equipped with hydraulic arms for agricultural implement is not available for the moment.*

U 500, 405.200, 405.220

Onspot kit: 56-700500

Vehicle bracket kit: 56-237100

Wheel kit: 190

Fits vehicles with tyre dimension 12,5
R20 Ø 1040 or larger.

• *Onspot for Unimog equipped with hydraulic arms for agricultural implement is not available for the moment.*

How to read the vehicle specification:

Super Great _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Super Great

4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit:	56-238500
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
275/80-22,5" or larger.

- 12-chain wheels should be used.

How to read the vehicle specification:

Euroliner _____ Vehicle model
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Euroliner

Air suspension

Vehicle bracket kit: 56-235401
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 295/70-22,5" or larger.

- *Disc brake*

How to read the vehicle specification:

BIG Thumb	_____	Vehicle model
4x2	_____	Axle configuration
Air suspension	_____	Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, **56-700500** shall be replaced by **56-700501** and **56-320104**

Atleon

4x2

Leaf suspension

Vehicle bracket kit:	56-247600
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 265/70-19,5" or larger.	

BIG Thumb

4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit:	56-232301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/70-22,5" or larger.	
• 6x2, 6x4 rear-mounting	
• 4x2 front-mounting	

NV 400

Leaf suspension

Vehicle bracket kit:	56-254400
Air compressor kit:	56-241800
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

Leaf suspension

Vehicle bracket kit:	56-254400
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

How to read the vehicle specification:

Movano _____ Vehicle model
4x2 _____ Axle configuration
Leaf suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Movano

Leaf suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-241800
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

Leaf suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

How to read the vehicle specification:

Midlum	_____	Vehicle model
4x2	_____	Axle configuration
669- 07	_____	Rear axle type
Leaf suspension	_____	Rear axle suspension
M18x1,5	_____	Clamp thread

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, **56-700500** shall be replaced by **56-700501** and **56-320104**

Range -C

4x2

Leaf suspension

Vehicle bracket kit:	56-703500
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

6x4, 8x4

Leaf suspension

Vehicle bracket kit:	56-238903
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 305/70 R22,5" or larger.	

6x4

Air suspension

Vehicle bracket kit:	56-712800
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

Range -K

6x4, 6x6, 8x4

Leaf suspension

Vehicle bracket kit:	56-255000
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 295/80 R22,5" or larger.	

4x2, 4x4

Leaf suspension

Vehicle bracket kit:	56-703500
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

Range -D

3,5t - 7,5t

Leaf suspension

Vehicle bracket kit:	56-266400
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 205/75 R16" or larger.	

10t - 18t

Leaf suspension

Vehicle bracket kit:	56-233501
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit :	170
Fits vehicles with tyre dimension 245/70- 19,5" or larger.	

• For 22,5" wheels, use wheel kit 190.

10t - 18t

Air suspension

Vehicle bracket kit:	56-253000
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit :	170
Fits vehicles with tyre dimension 285/70- 19,5" or larger.	

Range -T

4x2, 6x2, 6x2/4

Air suspension

M24x2

Vehicle bracket kit:	56-261100
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

Mascott DXI 160

Leaf suspension

M16x1,5

Vehicle bracket kit:	56-244700
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 215/75 R16" or larger.	

Master

Leaf suspension

Vehicle bracket kit:	56-254400
Air compressor kit:	56-241800
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 195/75 R16C" or larger.	

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

Midlum DXI

4x2, 6x2

P08120, P08125

Leaf suspension M18x1,5

Vehicle bracket kit: 56-233303
Onspot kit: 56-700500
Wheel kit : 170
Fits vehicles with tyre dimension
215/75- 17,5" or larger.

4x2, 6x2

P11140, P11145, P11150, P1191

Leaf suspension M20x1,5

Vehicle bracket kit: 56-233501
Switch kit: 56-241010
Onspot kit: 56-700500
Wheel kit : 170
Fits vehicles with tyre dimension
245/70- 19,5" or larger.
• For 22,5" wheels, use wheel kit 190.

4x2, 6x2

P11140, P11145, P11150, P1191, P08120, P08125

Vehicle bracket kit: 56-233702
Onspot kit: 56-700500
Wheel kit : 170
Fits vehicles with tyre dimension
285/70 -19,5" or larger.

Midlum

4x2, 4x4

P920SLC, P941, P1120SLA, P1121, P1120SLB, P1120SLC

Leaf suspension M20x1,5

Vehicle bracket kit: 56-233501
Onspot kit: 56-700500
Switch kit: 56-241012
Wheel kit: 170
Fits vehicles with tyre dimension
245/70- 19,5" or larger.
• For 22,5" wheels, use wheel kit 190.

4x2, 4x4

P1140, P1170

Air suspension M24x2

Vehicle bracket kit: 56-237600
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
265/70- 19,5" or larger.

Premium, Magnum DXI

4x2, 6x2, 6x2/4

P13170, P13195,

Air suspension M24x2

Vehicle bracket kit: 56-261100
Switch kit: 56-241010
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/60- 22,5" or larger.
Fits vehicles manufactured from
2006.

Premium DXI

4x2

P13150, P1391, P13170, P1395, P2191

Leaf suspension M24x3

Vehicle bracket kit: 56-241601
Onspot kit: 56-700500
Wheel kit : 190
Fits vehicles with tyre dimension
315/70- 22,5" or larger.
Fits vehicles manufactured from
2006.

6x4, 8x4

Leaf suspension

Vehicle bracket kit: 56-238903
Switch kit: 56-241010
Onspot kit: 56-700500
Wheel kit : 190
Fits vehicles with tyre dimension
305/70- 22,5" or larger.

Premium, Magnum

4x2, 6x2, 6x2/4

All rear axles

Leaf suspension M24x2

Vehicle bracket kit: 56-228101
Onspot kit: 56-700500
Switch kit: 56-241012
Wheel kit: 190
Fits vehicles with tyre dimension
315/70- 22,5" or larger.
Applies up to and including year
model 2006.

Kerax DXI

4x2, 4x4

P1595, P2695, P3395, P3396

Leaf suspension M24x3

Vehicle bracket kit: 56-241602
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/60- 22,5" or larger.
Fits vehicles manufactured from
2006.

6x2, 6x6, 8x4

All rear axles

Leaf suspension

Vehicle bracket kit: 56-255000
Switch kit: 56-241010
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/80 R22,5" or larger.

Master

Leaf suspension

Vehicle bracket kit: 56-254400
Air compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit : 170
Fits vehicles with tyre dimension
195/75- R16C or larger.
• 12 or 18-chain wheels should be
used.
• Rear wheel drive.

How to read the vehicle specification:

Rosero _____ Vehicle model
Leaf suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Iveco chassis

Daily 70C

Leaf suspension

Vehicle bracket kit:	56-259800
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Does not fit vehicles with low floor.*

How to read the type classification:

R-series

e.g.: R 580 LA 4x2 MNA,
where N denotes chassis height Normal

4-series

e.g.: R 144 LA 4x2 NA 530,
where N denotes chassis height Normal

Rebuilding

To get the Onspot unit in correct position some models with short wheel base (3400 mm - 3800 mm) may demand certain rebuilding such as moving the exhaust box or exchanging the muffler tail pipe, etc.

Wheel kit 170


6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Axle configurations:



Generation 6

**P, G, R, T, L,
S-series**

4x4, 4x2

Leaf suspension u-bolts facing down

Vehicle bracket kit:	56-241900
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 275/70-22,5" or larger.

6x2

Leaf suspension u-bolts facing up

Vehicle bracket kit:	56-738300
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/80 R22,5.

4x4

Air suspension, 2 belows

Vehicle bracket kit:	56-230502
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 295/80-22,5" or larger.

**P, G, R, T-series
chassis height L**

**4x2, 6x2, 8x2, 6x2/4, 8x2/4,
6x2*4, 8x2*6, 8x4*4, 6x4,
8x4**

Air suspension, 2 belows

Vehicle bracket kit:	56-719300
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

• Do not fit vehicles with crossbeam.

4x2

Air suspension, 4 belows

Vehicle bracket kit:	56-239800
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

**P, G, R, T, L,
S-series
chassis height
H,N,S**

**4x2, 6x2, 8x2, 6x2/4, 8x2/4,
6x2*4, 8x2*6, 8x4*4, 6x4,
8x4**

Air suspension, 2 belows

**Vehicles without crossbeam
Vehicles with AdBlue-tank outside
the frame**

Vehicle bracket kit: 56-719300
 Onspot kit: 56-700500
 Switch kit: 56-710700
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60-22,5" or larger.

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

Air suspension, 2 belows
Vehicles without crossbeam
Vehicles with AdBlue-tank under the frame

Vehicle bracket kit: 56-719400
 Onspot kit: 56-700500
 Switch kit: 56-710700
 Wheel kit: 170
 Protection plate: 56-704600
 Fits vehicles with tyre dimension 315/60-22,5" or larger.

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

4x2

Air suspension, 4 belows

Vehicle bracket kit: 56-239800
 Onspot kit: 56-700500
 Switch kit: 56-710700
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60-22,5" or larger.

Generation ≤5

P, G, R, T-series

4x4, 4x2

Leaf suspension

Vehicle bracket kit: 56-241900
 Onspot kit: 56-700500
 Switch kit: 56-241009
 Wheel kit: 190
 Fits vehicles with tyre dimension 275/70-22,5" or larger.

4x4

Air suspension, 2 belows

Vehicle bracket kit: 56-230502
 Onspot kit: 56-700500
 Switch kit: 56-241009
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80-22,5" or larger.

P, G, R, T-series chassis height L

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit: 56-254700
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 R22,5" or larger.
 • Do not fit vehicles with crossbeam.

Air suspension, 2 belows

Vehicle bracket kit: 56-230201
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 315/60 R22,5" or larger.
 • Do not fit vehicles with crossbeam or AdBlue-tank outside frame.

4x2

Air suspension, 4 belows

Vehicle bracket kit: 56-239800
 Onspot kit: 56-700500
 Switch kit: 56-241009
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60-22,5" or larger.

P, G, R, T-series chassis height H,N,S

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicles without crossbeam
Vehicles with AdBlue-tank outside the frame

Vehicle bracket kit: 56-254700
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60-22,5" or larger.

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

Air suspension, 2 belows
Vehicles without crossbeam
Vehicles with AdBlue-tank under the frame

Vehicle bracket kit: 56-264000
 Onspot kit: 56-700500
 Wheel kit: 170
 Protection plate: 56-704600
 Fits vehicles with tyre dimension 315/60-22,5" or larger.

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

Vehicles with crossbeam

Vehicle bracket kit: **56-719200**
 Onspot kit: 56-700500
 Wheel kit: 190
 Replacement crossbeam: 56-246900
 Fits vehicles with tyre dimension 315/60-22,5" or larger.

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

4x2

Air suspension, 4 belows

Vehicle bracket kit: 56-239800
 Onspot kit: 56-700500
 Switch kit: 56-241009
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60-22,5" or larger.

P, G, R, T-series chassis height E

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit: 56-242500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 275/70-22,5" or larger.
 • Do not fit vehicles with crossbeam.

P, G, R, T-series chassis height S, H, N

6x4

Leaf suspension

Vehicle bracket kit: 56-256500

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
275/70 R22,5" or larger.

4-series chassis height L

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit: 56-230101

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
275/70-22,5" or larger.

- *Do not fit vehicles with crossbeam.*

4-series chassis height N

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit: 56-230101

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/60-22,5" or larger.

- *Some vehicles are equipped with crossmember ahead of the rear axle, depending on the specification. This should be exchanged against one that is adjusted for Onspot (Part no 56-246900)*

Buses

K-chassis

4x2, 6x2, 6x2*4, 8x2

Air suspension

Rear axle: ADA1303

Vehicle bracket kit: 56-711800

Onspot kit: 56-700500

Switch kit: 56-241009

Wheel kit: 170

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

- *Crossmember needs to be moved.*
- *Oil filter on rear axle needs to be removed, cover included in the kit.*

How to read the vehicle specification:

S 517 HDH _____ Vehicle model

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

S 517 HDH

Vehicle bracket kit: 56-709500
Onspot kit: 56-700500
Switch kit: 56-241019
Wheel kit: 170
Fits vehicles with tyre dimension
295/80-22,5" or larger.

How to read the vehicle specification:

RT 403 _____ Truck model

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

RT 403

Vehicle bracket kit: 56-263600
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 325/95-R 24" or larger.

YT182

Air suspension

Vehicle bracket kit: 56-261900
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/80-R 22,5" or larger.

No suspension

Vehicle bracket kit: 56-738600
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/80-R 22,5" or larger.

YT222

Vehicle bracket kit: 56-261900
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/80-R 22,5" or larger.

How to read the vehicle specification:

4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

When choosing an ADR vehicle, **56-700500** shall be replaced by **56-700501** and **56-320104**

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Quon

4x2, 6x2, 6x4

4-bellow air suspension

Vehicle bracket kit:	56-232301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 295/70 R22,5" or larger.

Rigid

4x2, 6x2, 6x4

Leaf suspension

Vehicle bracket kit:	56-258000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 11 R22,5

Tractor

4x2, 6x2, 6x4

4-bellow air suspension

Vehicle bracket kit:	56-242700
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 11 R22,5

From year model 2018.

How to read the vehicle specification:

Air suspension _____ **Rear axle suspension**

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Altano

Air suspension

Vehicle bracket kit: 56-250000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/80 R22,5" or larger.

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Futura

Vehicle bracket kit:	56-265000
Switch kit:	56-241023
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

How to read the vehicle specification:

_____	Vehicle model
FM, FH _____	Axle configuration etc, see table right
RAD-A4, RAPD-A6, RADT-A6S _____	Type of suspension
RST-AIR _____	Supplementary information
4 bellows, drum brakes	

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Volvo's "Vehicle identification card"

Identify the vehicles' construction by means of the Vehicle identification card that accompanies every new Volvo:

"Wheel suspension and steering"

RAD-L80	4x2 Leaf suspension, rear axle (80mm). Used on FL
RAD-L90	4x2 Leaf suspension, rear axle (90mm). Used on FE, FM and FH
RAD-A2	4x2 Air suspension, rear axle with 2 bellows
RAD-A2R	4x2 Air suspension, rear axle with 2 bellows, reinforced
RAD-A4	4x2 Air suspension, rear axle with 4 bellows
RADT-A4	6x2 Air suspension, bogie with 4 bellows
RAPD-A6	6x2 Air suspension, pusher with 6 bellows
RADT-AR	6x2/8x2 Leaf suspension, A-ride with bogie axle
RADT-A6	6x2 Air suspension, bogie with 6 bellows
RADT-A6S	6x2 Air suspension, bogie with 6 bellows with steering trailing axle
RADT-LA	6x2 Leaf suspension, rear axle with air suspension steering trailing axle behind drive axle
RADD-TR1	6x4/8x4 Leaf suspension, narrow T-ride with two drive axles
RADD-TR2	6x4/8x4 Leaf suspension, wide T-ride with two drive axles
RADD-BR	6x4/8x4 Leaf suspension, B-ride with two drive axles
RADD-A8	6x4/8x4 Air suspension, rear axle with drive axles and 8 bellows
RADT-A8	6x2/8x2 Air suspension, bogie with 8 bellows. Fixed or steering trailing axle behind drive axle
RADDT-12	8x4 Air suspended tridem with two drive axles and a steering trailing axle
RAD-G2	4x2 Air suspensions - 4 Bellows
RADD-G2	6x4/8x4 Tandem with Air suspension - 8 Bellows
RADDT-G2	8x4 Tandem with Steering tag axle - Air suspension - 12 Bellows

"Power transmission"

RACAS-WE	Welded rear axle housing
RACAS-CA	Moulded rear axle housing

"Brake"

BRAKE-ZV	Drum brake
BRAKE-DV	Disc brake

"Frame, Springs, Damping and Wheels"

RST- AIR	Old type of suspension
RST- AIR2	GRAS suspension
RST- PAR	Parable suspension
RST- MUL	Trapeze suspension (conventional)
VW 2300	Truck width 2300 mm
VW 2550	Truck width 2550 mm
VW 2600	Truck width 2600 mm

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

FL

RAD-KR

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

RAD-L80

VW2600, VW2550

Vehicle bracket kit:	56-233501
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 245/70-19,5" or larger.	
• For 22,5" wheels, use wheel kit 190	
• From year model 2007.	

RAD-A2, RAD-A2V

VW2600

Vehicle bracket kit:	56-253000
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 285/70-19,5" or larger.	

RAD-A2R

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/60-22,5" or larger.	

FL6

FL 6L-medium

2-bellow suspension

Air suspension

VW2600, VW2550

Disc brakes

Vehicle bracket kit:	56-230801
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 235/75-17,5" or larger.	
• For tyres smaller than 285/70-19,5" use 170-wheel, otherwise use 190-wheel.	
• Tyres 295/70-22,5" and larger require supplementary kit 56-231700.	
• 12-chain wheels should be used.	
• From year model 2000.	
• Applies up to and including year model 2006.	

FL 6E-medium

RST-PAR

Leaf suspension

Disc brakes

Vehicle bracket kit:	56-241600
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/60-22,5" or larger.	

4-bellow air suspension

Vehicle bracket kit:	56-223201
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-22,5" or larger.	

FE

RAD-A2R

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/60-22,5" or larger.	

RADT-A4

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/60-22,5" or larger.	

RAD-KR, RADT-KR

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/60-22,5" or larger.	

FH, FM

RADD-GR

Vehicle bracket kit:	56-737600
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 385/65 R22,5" or larger.	

FH, FM, FMX

RAD-G2, RADD-G2,

RADDT-G2

Vehicle bracket kit:	56-707600
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/ 80 R22,5" or larger.	

RADT-GR, RADD-GR,
RADDT-GR, RAPDT-GR

Vehicle bracket kit:	56-253600
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/ 60 R22,5" or larger.	

RAPDD-GR

Vehicle bracket kit:	56-253600
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/ 60 R22,5" or larger.	
• Air tank may need to be moved	

RAD-GR

Tractor

Vehicle bracket kit:	56-257600
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/ 60 R22,5" or larger.	
• When mounted on vehicles with BBOX-EF, it may be necessary to relocate the air tank which is mounted underneath the batteries.	
• When mounted on vehicles with BBOX-L need the brackets on the 50-litres tank mounted on the end beam be replaced with brackets in the kit 56-704700.	

Rigid

Vehicle bracket kit:	56-261300
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/ 60 R22,5" or larger.	

RAPD-GR

Vehicle bracket kit:	56-257600
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/ 60 R22,5" or larger.	

RAD-L90**RST-PAR**

Vehicle bracket kit:	56-258000
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22, 5" or larger.

- From year model 2014 (FH/FM version 4)

Vehicle bracket kit:	56-258000
Switch kit:	56-241006
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22, 5" or larger.

- From year model 2007 up to and including year model 2013

RAD-L90, RADT-LA**RST-PAR, disc brakes**

Vehicle bracket kit:	56-241600
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

- Applies up to and including year model 2007

RADD-TR1, RADD-TR2

Vehicle bracket kit:	56-255000
Switch kit:	56-241006
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/80 R11,5" or larger.

RADD-BR**RACAS-CA**

Vehicle bracket kit:	56-238900
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/70-22,5" or larger.

RAD-A4, RAPD-A6**RST-AIR**

Vehicle bracket kit:	56-228901
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/60-22,5" or larger.

- It may be necessary to move the air tanks when fitting using a pusher shaft.

RADT-A8, RADD-A8, RADDT12**RST-AIR2**

Vehicle bracket kit:	56-223201
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/60-22,5" or larger.

- On RADT-A8 trucks the 50-litres tank behind the steering axle must be moved to a crossbeam behind the running axle or outside the truck's frame. Remount using tube kit 56-237800.
- On RADT-A8 tractors the 50-litres tank behind the drive axle must be moved and remounted using tank bracket kit 56-236600 and tube kit 56-237800.

RAD-A4, RAPD-A6,**RADT-A6S****RST-AIR2**

Vehicle bracket kit:	56-223201
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 305/60-22,5" or larger.

- Suits vehicles with cardan PROPS-LE and tyre dimensions 315/70-22.5" or larger.

RADT-A6, RADT-A8,**RADD-A8****RST-AIR, Drum brakes**

From ch. no. A273949, 1 820289, B 185922

2 air tanks beneath the crossbeam

Vehicle bracket kit:	56-230301
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 305/70-22,5" or larger.

- Air tanks must be moved.
- 12-chain wheels should be used.

1 air tanks beneath the crossbeam

Vehicle bracket kit:	56-231001
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 305/70-22,5" or larger.

- Air tanks may need to be moved.
- 12-chain wheels should be used.

Buses**B10-M, B10-B, B12****Air suspension**

Vehicle bracket kit:	56-232001
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/70-22,5" or larger.

- On 6x2 it might be necessary to move the air tanks.
- 12-chain wheel should be used on vehicles with chassisnumber lower than 10558.

B12M, B12B, B12BLE**Disc brake****Air suspension**

Vehicle bracket kit:	56-235901
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 305/70-22,5" or larger.

- 12-chain wheels should be used.

B7R Mk II**Disc brake****Air suspension**

Vehicle bracket kit:	56-242700
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 275/70-22,5" or larger.

- 12-chain wheels should be used.

B8R**Air suspension**

Vehicle bracket kit:	56-714100
Switch kit:	56-241021
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 275/70-22,5" or larger.

- 12-chain wheels should be used.

B8R, B8RLE**4x2****Air suspension**

Vehicle bracket kit:	56-717200
Switch kit:	56-718300
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

B8R

6x2

Air suspension

Vehicle bracket kit:	56-716700
Switch kit:	56-718300
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension

295/80 R22,5" or larger.

- *Replace the bracket for the EBS-valve with 56-718400.*
- *Pipes needs to be replaced, these are purchased from Volvo. See info in mounting instruction.*

B11R

6x2

Air suspension

Vehicle bracket kit:	56-716700
Switch kit:	56-718300
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension

295/80 R22,5" or larger.

- *Replace the bracket for the EBS-valve with 56-718400.*
- *Pipes needs to be replaced, these are purchased from Volvo. See info in mounting instruction.*

B11, B13

Air suspension

Vehicle bracket kit:	56-258500
Switch kit:	56-241021
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension

295/80 R22,5" or larger.

How to read the vehicle specification:

LT	Vehicle model, Axle configuration
LT 35	Vehicle type
Leaf suspension	Rear axle suspension
Chains	
12-chains	

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Crafter

4x2

**Leaf suspension
Twin wheel**

Vehicle bracket kit:	56-719500
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

- Fits vehicles with tyre dimension 205/75 R16" or larger.
- 12 or 18-chain wheels should be used.
 - From year model 2019

4x2

**Leaf suspension
Single wheel**

Vehicle bracket kit:	56-717500
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

- Fits vehicles with tyre dimension 205/75 R16" or larger.
- 12 or 18-chain wheels should be used.
 - From year model 2019

4x2

**Air suspension: VB
Single wheel**

Vehicle bracket kit:	56-264300
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170

- Fits vehicles with tyre dimension 225/70 R15" or larger.
- 12 or 18-chain wheels should be used.
 - Applies up to and including year model 2018

4x2

**Leaf suspension
Single wheel**

Vehicle bracket kit:	56-264300
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

- Fits vehicles with tyre dimension 225/70 R15" or larger.
- 12 or 18-chain wheels should be used.
 - Applies up to and including year model 2018

4x2

**Air suspension: VB
Twin wheel**

Vehicle bracket kit:	56-262200
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170

- Fits vehicles with tyre dimension 195/75 R16" or larger.
- 12 or 18-chain wheels should be used.
 - A re-arrangement of the exhaust pipe can be necessary.
 - Applies up to and including year model 2018

4x2

**Leaf suspension
Twin wheel**

Vehicle bracket kit:	56-262200
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

- Fits vehicles with tyre dimension 195/75 R16" or larger.
- 12 or 18-chain wheels should be used.
 - A re-arrangement of the exhaust pipe can be necessary.
 - Applies up to and including year model 2018

4x4

**Leaf suspension
Twin wheel**

Vehicle bracket kit:	56-247000
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

- Fits vehicles with tyre dimension 195/75 R16" or larger.
- 12 or 18-chain wheels should be used.
 - A re-arrangement of the exhaust pipe can be necessary.
 - Move spare wheel under floor behind the axle.
 - Applies up to and including year model 2018

Table of tyre dimensions

The table shows the tyre's height when the vehicle is unloaded.

Dim. Tyre diameter

15"

225/70 R 15	696 mm
205/80 R 15	708 mm
7,50 R 15	769 mm
8,25 R 15	836 mm

16"

185/75 R 16	684 mm
215/65 R 16	686 mm
195/75 R 16	699 mm
235/65 R 16	712 mm
215/75 R 16	730 mm
225/75 R 16	743 mm
7,00 R 16	787 mm
7,50 R 16	805 mm
8,25 R 16	860 mm

17"

8,25 R 17	886 mm
8,25 17	895 mm

17,5"

205/75 R 17,5	753 mm
215/75 R 17,5	767 mm
225/75 R 17,5	783 mm
8 R 17,5	784 mm
245/70 R 17,5	797 mm
8,5 R 17,5	802 mm
235/75 R 17,5	808 mm
245/75 R 17,5	813 mm
9 R 17,5	820 mm
9,5 R 17,5	842 mm

19,5"

245/70 R 19,5	839 mm
245/75 R 19,5	862 mm
255/70 R 19,5	853 mm
8 R 19,5	856 mm
8,5 R 19,5	856 mm
265/70 R 19,5	867 mm
9 R 19,5	894 mm
9,5 R 19,5	894 mm
285/70 R 19,5	895 mm
305/70 R 19,5	923 mm
315/70 R 19,5	937 mm

Dim. Tyre diameter

20"

12/80 R 20	1008 mm
9.00-20	1012 mm
9.00 R 20	1018 mm
13/80 R 20	1048 mm
10.00-20	1050 mm
10.00 R 20	1052 mm
11.00-20	1080 mm
11.00 R 20	1082 mm
12.00-20	1120 mm
12.00 R 20	1122 mm
13.00-20	1170 mm
13.00 R 20	1176 mm

22,5"

9/70 R 22,5	892 mm
10/70 R 22,5	928 mm
295/60 R 22,5	928 mm
255/70 R 22,5	930 mm
8 R 22,5	936 mm
305/60 R 22,5	946 mm
275/70 R 22,5	958 mm
315/60 R 22,5	958 mm
11/70 R 22,5	962 mm
9-22,5	970 mm
9 R 22,5	970 mm
295/70 R 22,5	986 mm
12/70 R 22,5	999 mm
305/70 R 22,5	1000 mm
275/80 R 22,5	1012 mm
315/70 R 22,5	1014 mm
10-22,5	1020 mm
10 R 22,5	1020 mm
13/70 R 22,5	1033 mm
295/80 R 22,5	1044 mm
315/75 R 22,5	1044 mm
12/80 R 22,5	1046 mm
11 R 22,5	1050 mm
11-22,5	1054 mm
315/80 R 22,5	1076 mm
12-22,5	1084 mm
12 R 22,5	1084 mm
13 R 22,5	1124 mm

Spare parts Onspot 016



56-700601 Onspot unit, complete
(stamped no. 56-330200)



56-700600 Onspot unit, complete
(stamped no. 56-330100)



56-700700 Stopper, standard
(stamped no. 56-331200)

56-700701 Stopper, standard
(stamped no. 56-331300)



56-700702 Stopper
(stamped no. 56-332700)

56-700703 Stopper
(stamped no. 56-332800)



56-241200 Hitching kit



56-701000 Onspot 016 chain, arm axle kit

Spare parts Onspot 012



56-320601 Stopper
(stamped no. 56-318803)

56-320602 Stopper
(stamped no. 56-318804)




56-320900 Hose holder




56-320603 Stopper
(stamped no. 56-318807)

56-320604 Stopper
(stamped no. 56-318808)




56-241200 Hitching kit



56-324300 Onspot 012 chain, arm axle kit

Spare parts Onspot 012, 016



- 56-321001 Arm incl. mounting components (stamped no. 56-320201)
- 56-321007 Arm incl. mounting components (stamped no. 56-321301)
- 56-321015 Arm incl. mounting components (stamped no. 56-321701)
- 56-321017 Arm incl. mounting components (stamped no. 56-321801)
- 56-321036 Arm incl. mounting components (stamped no. 56-323601)
- 56-324001 Arm incl. mounting components (stamped no. 56-322601)
- 56-324005 Arm incl. mounting components (stamped no. 56-322801)
- 56-324011 Arm incl. mounting components (stamped no. 56-323701)
- 56-324013 Arm incl. mounting components (stamped no. 56-323801)



- 56-321002 Arm incl. mounting components (stamped no. 56-320202)
- 56-321008 Arm incl. mounting components (stamped no. 56-321302)
- 56-321016 Arm incl. mounting components (stamped no. 56-321702)
- 56-321018 Arm incl. mounting components (stamped no. 56-321802)
- 56-321037 Arm incl. mounting components (stamped no. 56-323602)
- 56-324002 Arm incl. mounting components (stamped no. 56-322602)
- 56-324006 Arm incl. mounting components (stamped no. 56-322802)
- 56-324012 Arm incl. mounting components (stamped no. 56-323702)
- 56-324014 Arm incl. mounting components (stamped no. 56-323802)



- 56-321003 Arm incl. mounting components (stamped no. 56-321101)
- 56-321023 Arm incl. mounting components (stamped no. 56-322201)
- 56-321019 Arm incl. mounting components (stamped no. 56-321901)
- 56-321025 Arm incl. mounting components (stamped no. 56-322301)
- 56-324009 Arm incl. mounting components (stamped no. 56-323101)
- 56-321034 Arm incl. mounting components (stamped no. 56-323501)



- 56-321004 Arm incl. mounting components (stamped no. 56-321102)
- 56-321024 Arm incl. mounting components (stamped no. 56-322202)
- 56-321020 Arm incl. mounting components (stamped no. 56-321902)
- 56-321026 Arm incl. mounting components (stamped no. 56-322302)
- 56-324010 Arm incl. mounting components (stamped no. 56-323102)
- 56-321035 Arm incl. mounting components (stamped no. 56-323502)



56-321009 Arm incl. mounting components (stamped no. 56-321401)

56-321011 Arm incl. mounting components (stamped no. 56-321501)

56-321029 Arm incl. mounting components (stamped no. 56-322501)

56-324007 Arm incl. mounting components (stamped no. 56-323001)

56-321038 Arm incl. mounting components (stamped no. 56-340001)

56-321039 Arm incl. mounting components (stamped no. 56-340002)



56-321010 Arm incl. mounting components (stamped no. 56-321402)

56-321012 Arm incl. mounting components (stamped no. 56-321502)

56-321030 Arm incl. mounting components (stamped no. 56-322502)

56-324008 Arm incl. mounting components (stamped no. 56-323002)



56-321013 Arm incl. mounting components (stamped no. 56-321600)



56-321032 Arm incl. mounting components (stamped no. 56-323301)



56-321031 Arm incl. mounting component (stamped no. 56-321601)



56-321022 Arm incl. mounting components (stamped no. 56-322102)



56-321021 Arm incl. mounting components (stamped no. 56-322101)




56-321033 Arm incl. mounting components (stamped no. 56-323302)



56-320700 Mounting components, arm


Spare parts Onspot 012, 016



- 56-320101 Valve kit 24V, complete
- 56-320102 Valve kit 12V, complete
- 56-320103 Valve kit 24V, complete(MB)
- 56-320104 Valve kit ADR, complete



56-329000 T-joint




56-329200 T-joint (MB)




56-329100 Plastic hose 20 m

Onspot 016



56-701100 Nipple kit, 4 nipples



56-701200 Throttle valve



56-711300 Check valve kit



56-714700 Indicator light kit

Onspot 012



56-320800 Nipple set, cylinder 4 nipples

Switches



- | | | | |
|-----------|--|-----------|---|
| 56-241002 | IVECO: Tector, Eurotech, Eurostar, Trakker, Stralis, Eurocargo 4x2 (to 2007) | 56-241023 | VDL: Futura |
| 56-241003 | MAN: TGA, TGL, TGM | 56-241024 | Renault: K, C (cab 2.5m) |
| 56-241004 | MB: Actros MP2, MP3 | 56-241025 | Renault: D |
| 56-241005 | MB: Vario, Econic, Actros, Atego, Atego 2, Atego S, Axor, Axor II
UNIMOG: U300, U400, U500 | 56-710700 | Scania: P, G, R, T, S-series Generation 6 |
| 56-241006 | VOLVO: FL 6L, FL 6E, FM, FH (to 2012) | 56-727500 | DAF: XF Euro 6, CF Euro 6 (from 2017) |
| 56-241007 | SCANIA: 4-series, Buses | 56-739000 | MAN: TG3 |
| 56-241008 | DAF: LF45, CF55, CF65, CF75, CF85, 95XF, XF95, XF105 | | |
| 56-241009 | SCANIA: P, G, R, T-series Generation ≤ 5 | | |
| 56-241010 | RENAULT: Midlum DXI, Premium DXI, Magnum DXI, Kerax DXI
VOLVO: FL, FE
SISU: 6x4/8x4/10x4 Leaf suspension | | |
| 56-241011 | DAF: 65CF, 75CF, 85CF | | |
| 56-241012 | FORD: T 350, T 430
IVECO: Daily
RENAULT: Mascott DXI 160
MB: Sprinter 3xx, Sprinter 5xx
VW: Crafter 30, Crafter 50 | | |
| 56-241013 | HINO: Profia
MAN: L2000, M2000L, M2000M, F2000, E2000
MITSUBISHI: Super Great
NISSAN: BIG Thumb
ISUZU: Gigamax
VOLVO: Buses | | |
| 56-241014 | IVECO: Eurocargo 4x4 | | |
| 56-241015 | MAN: TGS, TGX | | |
| 56-241016 | MB: Sprinter 311-316 (1998-2006)
VW: LT 35 (1998-2006) | | |
| 56-241017 | NISSAN: Atleon | | |
| 56-241018 | IVECO: Eurocargo 4x2 (from 2008) | | |
| 56-241019 | MB: Actros MP4, Antos | | |
| 56-241020 | VOLVO: FH (from 2013) | | |
| 56-241021 | VOLVO: Buses B11, B13 | | |
| 56-241022 | DAF: XF Euro 6, CF Euro 6 (to 2016) | | |

Spare parts Onspot



Wheel kit, incl. wheel bearings

56-726000	6-chains, Wheel 190
56-236503	6-chains, Wheel 170
56-726100	6-chains sparkle resistant, Wheel 190
56-236507	6-chains sparkle resistant, Wheel 170
56-726200	12-chains, Wheel 190
56-236506	12-chains, Wheel 170
56-726300	12-chains, long, Wheel 190
56-726400	18-chains, Wheel 190
56-236509	18-chains, Wheel 170



Wheel, incl. wheel bearings

56-725000	6-chains, Wheel 190
56-236400	6-chains, Wheel 170
56-725100	6-chains sparkle resistant, Wheel 190
56-236411	6-chains sparkle resistant, Wheel 170
56-725200	12-chains, Wheel 190
56-236412	12-chains, Wheel 170
56-725300	12-chains, long, Wheel 190
56-725400	18-chains, Wheel 190
56-236418	18-chains, Wheel 170



Chain plate

56-246601	Chain plate, 6-chains, Wheel 190
56-246602	Chain plate, 6-chains, Wheel 170
56-246603	Chain plate, 6-chains sparkle resistant, Wheel 190
56-246604	Chain plate, 6-chains sparkle resistant, Wheel 170
56-246605	Chain plate, 12-chains, Wheel 190
56-246606	Chain plate, 12-chains, Wheel 170
56-246607	Chain plate, 12-chains long, Wheel 190
56-246608	Chain plate, 18-chains, Wheel 190
56-246609	Chain plate, 18-chains, Wheel 170



56-241300	Wheel mounting kit, adjustable 120 mm, standard 1x Wheel bolt, 4x Spacers, 1x Angle spacer, 1x Nut, 1x Cover plate
-----------	--



56-206000	Wheel mounting kit, adjustable 100 mm, standard 1x Wheel bolt, 2x Spacers, 1x Angle spacer, 1x Nut, 1x Cover plate
-----------	--



56-206700	Wheel mounting kit, adjustable 80 mm, for low profiles 1x Wheel bolt, 1x Angle spacer, 1x Nut, 1x Cover plate
-----------	---



56-241100	Kickback guard kit
-----------	---------------------------



56-246500	Bolt kit Onspot wheel
-----------	------------------------------



56-237300	Wheel bearing kit 2x Bearings 1x Retaining ring
-----------	--



56-728000	Ball-bearing kit wheel 190
-----------	--------------------------------------



56-734600	Wheel plate kit wheel190
-----------	------------------------------------



56-727000	Rubber wheel 190
-----------	----------------------------





56-246402	Wheel disc wheel 170
-----------	--------------------------------

Spare parts Onspot 03, 04

If the cylinder housing is damaged, the entire cylinder must be replaced with a completely new cylinder.

All Onspots now use the short cylinder variant. Older long cylinders can easily be replaced with short cylinders. The length of the adjusting screw identifies the type of cylinder you have (see diagram).

There are three different lengths of adjusting screw; measure the adjustment screw and use the table to find which cylinder you have.



Membrane kit

Length (mm)	Complete cylinder
55	56-254603
115	56-254601
165	56-254602

Membrane kit 56-231100

1 x	Membrane
1 x	Cover
2 x	Clamps
2 x	Screws
2 x	Nuts

Angular toggle joint 56-251700




Angular toggle joint

Cylinder disassembly tool 56-207100

Great care should be taken whenever you do work on or replace parts in the cylinder.

Air cylinders have substantial inherent spring power.

Therefore you should always use the cylinder disassembly tool when undertaking these procedures.



Cylinder disassembly tool

Spare parts Onspot 03, 04

Cylinder brackets



Cylinder bracket, left	56-188600
Cylinder bracket, right	56-188500



Cylinder bracket, left	56-063712
Cylinder bracket, right	56-063711

Spare parts Onspot 03, 04

Arms with bearing cups

Onspot can be fitted in two ways – in front of, or behind, the drive shaft. Identify which type of fitting you have by looking at figs. 1 and 2. The captions explain which arm type is used for each fitting.




Fig. 1, forward mounting





Fig. 2, rear mounting




Arm type left 56-155002
 Arm type right 56-155001

Arm type left 56-155010
 Arm type right 56-155009

Arm type left 56-155008
 Arm type right 56-155007

Arm type left 56-165202
 Arm type right 56-165201

Arm type left 56-203100
 Arm type right 56-203000




Arm type left 56-188800
 Arm type right 56-188700



56-191300 Bearing cups
 2 x Bearing cups
 1 x Grease
 1 x Locking compound

Spare parts Onspot 03, 04



- | | | |
|---|-----------|---|
| 1 | 56-227900 | Valve nipple kit, incl.: |
| | 2 x | Insertion nipples |
| | 2 x | Screws |
| | 1 x | Plug |
| 2 | 56-208600 | Distribution block repair kit incl.: |
| | 1 x | Distribution block |
| | 1 x | Plug |
| | 2 x | Hose nipple |
| | 1 x | Insertion nipple |
| | 2 x | Hose clamps |
| | 2 x | Bolts M6x35 |
| | 2 x | Nuts M6 |
| 3 | 56-228000 | Cylinder nipple kit, incl.: |
| | 2 x | Hole bolts |
| | 2 x | Banjo nipples |
| | 4 x | Grommets |
| | 2 x | Hose clamps |
| 4 | 37-130200 | Mercedes Symbol plate |
| | 37-131500 | DAF, Iveco, |
| | | MAN L2000, Volvo B10, |
| | | Universal Symbol plates |
| | 37-132300 | Volvo, Symbol plate |
| 5 | 29-020000 | MAN solenoid valve |
| | 29-019900 | MAN connection cable |
| | 29-021900 | Solenoid valve incl. cable head, other vehicle models |
| 6 | | Plastic pipe 8x1 L= 6m |
| 7 | | Rubber hose Ø 8mm L= 4m, min 15 Bar |

* On some models. See the mounting instructions for each vehicle bracket.

** The installation of circuit breakers and connection to the air system are services provided by vehicle dealers.

Spare parts air compressor kit 12V



56-255300 Spare part kit Compressor
1 x Compressor



56-721000 Spare part kit Valve console
1 x Valve console



56-720000 Spare part kit check valve
1 x Check valve



56-720100 Spare part kit drain with ring
1 x Drain with ring



56-257400 Spare part kit micro switch
1 x Micro switch



56-245500 Spare part kit Air tank
1 x Air tank
2 x Tank belt



56-721500 Spare part kit Compressor
1 x Compressor



56-721400 Spare part kit fitting
2 x Fitting Ø6
2 x Fitting M22x1,5
1 x Drain
1 x Plug M22x1,5



56-721100 Spare part kit Valve block
1 x Valve block
2 x Screw
2 x Nut
4x Washers



56-245400 Spare part kit fitting (Compressor 56-245200)
1 x Fitting 90° 1/8"
1 x 1/8" Check valve
1 x Fitting 1/4"-1/8"
3 x Rubber foot
3 x Nuts M4
1 x T-joint 1/8"NPT



56-721200 Spare part kit Air fitting and hoses
1 x Air fitting and hoses



56-721300 Spare part kit Rubber bushings
3 x Rubber bushings
3 x Brass insert
6 x Washer
3 x Nut M5
3 x Screw



56-257200 Power manometer

Connect the Power manometer together with the compressor kit to show the current air pressure in the Onspot system. A valve is fitted on the Power manometer bracket in order to fill with air or connect compressed air when parking so that the system always has the correct working pressure. There is also a recess to install the Onspot button.



56-704100 1 x Automatic drain valve kit for air tank

